

Product Catalog 2016

Desktop Special Plastic Keyboard



TABLE OF CONTENTS

TABLE OF CONTENTS	2
DESKTOP SPECIAL PLASTIC KEYBOARD.....	3
PRI-KYB-C370-OTBM-FNK-MDT.....	3
PRI-KYB-C400TBL-FNK-MDT.....	4
PRI-KYB-C400RTP-FNK-MDT	5
PRI-KYB-C315RTP-FNK-MDT	6
PRI-KYB-PK20.....	7

DESKTOP SPECIAL PLASTIC KEYBOARD

PRI-KYB-C370-OTBM-FNK-MDT

DESCRIPTION: 88 keys super slim stand alone desk top plastic keyboard with MINI plastic trackball with 14.0mm optical trackball for fast and accurate cursor position, both USB and PS2 interface are available.


Built-in two USB2.0 Hub for your easy connection with other USB devices.

DIMENSIONS: 370.0mm x 138.0mm x 23.0mm (L x W x H)



MAIN FEATURE:

- Super slim keyboard design, laser printed keys
- Comfortable and soft-touch typing
- Membrane key switch, noise free
- Multiple language versions available
- 12 function keys
- Within mouse with 14.0mm Plastic trackball
- Dimensions: 370.0mm x 138.0mm x 23.0mm




PERFORMANCE PARAMETER:

- 88 keys
- 14.0mm diameter plastic trackball
- Key switch elasticity: 55+7g
- Keystroke lifetime: over 10 million times
- Keystroke pulling power: ≥ 1.5 Kg
- Operating temperature: $-10^{\circ}\text{C} \sim 45^{\circ}\text{C}$
- Working humidity: 10%~90%
- Connector: PS/2, USB
- OS: DOS/Windows95/98/NT/ME/2000/2003/XP, Linux, Unix.

PRI-KYB-C400TBL-FNK-MDT

DESCRIPTION: 88 keys super slim stand alone desk top plastic keyboard with MINI plastic trackball with 16.0mm for easy operation, both USB & PS2 are available.

DIMENSIONS: 400.0mm x 133.0mm x 13.0mm (L x W x H)



MAIN FEATURE:

- Super slim keyboard design, laser printed keys
- Comfortable and soft-touch typing
- Membrane key switch, noise free
- Multiple language versions available
- 12 function keys
- Within mouse with 11.0mm Plastic trackball
- Dimensions: 400.0mm x 133.0mm x 13.0mm


PERFORMANCE PARAMETER:

- 89 keys
- 11.0mm diameter plastic trackball
- Key switch elasticity: 55+7g
- Keystroke lifetime: over 10 million times
- Keystroke pulling power: ≥ 1.5 Kg
- Operating temperature: $-10^{\circ}\text{C} \sim 45^{\circ}\text{C}$
- Working humidity: 10%~90%
- Connector: PS/2, USB
- OS: DOS/Windows95/98/NT/ME/2000/2003/XP, Linux, Unix.

PRI-KYB-C400RTP-FNK-MDT

DESCRIPTION: 88 keys super slim stand alone desk top plastic keyboard with 12 function keys and integrated ruggedized touchpad with scroll function optional, both USB & PS2 are available.

DIMENSIONS: 400.0mm x 133.0mm x 13.0mm (L x W x H)



MAIN FEATURE

- Super slim keyboard design, laser printed keys
- Comfortable and soft-touch typing
- Membrane key switch, noise free
- Multiple language versions available
- 12 function keys
- Integrated ruggedized touchpad
- Dimensions: 400.0mm x 133.0mm x 13.0mm

Performance Parameter

- 89 keys
- Key switch elasticity: 55+7g
- Keystroke lifetime: over 10 million times
- Keystroke pulling power: ≥ 1.5 Kg
- Operating temperature: -10°C ~ 45°C
- Working humidity: 10%~90%
- Connector: PS/2, USB
- OS: Windows95/98/NT/ME/2000/2003/XP/Linux, Unix

PRI-KYB-C315RTP-FNK-MDT

DESCRIPTION: 88 keys super slim stand alone desk top plastic keyboard with 12 function keys and integrated ruggedized touchpad with scroll function optional, both USB & PS2 are available.

DIMENSIONS: 315.0mmx115.0mmx(8-16mm)



MAIN FEATURES

- Super-slim keyboard design, Laser printed keys
- Comfortable and soft-touch typing
- Membrane key switch, noise free
- Multiple language versions available
- 12 function keys
- Integrated ruggedized touchpad
- Dimensions: 315.0mm x 115.0mm x 8.0mm

PERFORMANCE PARAMETER

- 88 keys
- Key switch elasticity: 55+7g
- Keystroke lifetime: over 3 million times
- Keystroke pulling power: ≥ 1.5 Kg
- Operating temperature: -10°C ~ 45°C
- Working humidity: 10% ~ 90%
- Connector :USB
- OS: Compatible with DOS/Windows 95/98/ME/NT/2000/XP/Vista/Win 7, Linux, Unix, Mac OSX

PRI-KYB-PK20

Description: 20 keys Industrial plastic keypad with key switch with 2.0mm long stroke, and extremely tractile feeling for fast and accurate data input, strong PCB with mounting holes for rear panel mounting.

Dimension: 99.0mm x 80.0mm(front panel)

