



Main Features:

- 15" Display
- complete system
- flexible variants

15" Panelmount Monitor

The 15" Monitor inspires by its complete panelmount LCD system. Its stable design is especially for the machine industry it is the ideal solution for system integrators. Flexible, optional variants permit an ergonomic and economic integration into your machines. By adaptability and maximum capacity fulfils the 15 "PMM your requirements.

It is suitable for the following applications

- Maschine Control
- Terminals
- POI

Data 15"PM


Monitor	Display model	Chunghwa CLAA150XP 01
	Screen diagonal	15.0"
	Resolution	1024(H) x 768(V) Pixel
	Active area (mm)	304.1 (H) x 228.1 (V)
	Color	16.2M (6bit)
	Brightness	250cd/m ²
	Viewing angle	±70°(H) ±60°(V)
	Response time	16ms
	Operating temperature	0-50°C
	Contrast ratio	500:1
	Module Power	12.5W Typ.
	Electrical interface	LVDS
	VGA Controller model	R5U
	Signal input	VGA
	Monitor input voltage	24VDC
	Front glass	2.3mm
	Total power consum.	14W typ
	Total weight	5.6Kg
Options	AMT Touchscreen	8wire resistive (USB/Serial)
	3M Touchscreen	capacitive (USB/Serial)
	Signal input	Video/ S-VHS
	Power input	12VDC
	Front color	RAL7035/ RAL9005
Accessoires	Power supply	110~ 220VAC/12VDC (50W)
Order	Articlenumber	PRI-PM.15RAR54001

Hauptsitz
Primelco Visual Data AG
Neuhofstrasse 25
CH-6340 Baar
Telefon: +41 (0)41 767 01 70
Fax: +41 (0)41 767 01 79

Zweigniederlassung
Primelco Visual Data SA
Chemin de Chantemerie 14
CH-1010 Lausanne
Telefon: +41 (0) 21 651 60 50
Fax: +41 (0) 21 651 60 51

www.primelco.ch
shop.primelco.ch
visual@primelco.ch

Mechanical outlines:



Hauptsitz
 Primelco Visual Data AG
 Neuhofstrasse 25
 CH-6340 Baar
 Telefon: +41 (0)41 767 01 70
 Fax: +41 (0)41 767 01 79

Zweigniederlassung
 Primelco Visual Data SA
 Chemin de Chantemerie 14
 CH-1010 Lausanne
 Telefon: +41 (0) 21 651 60 50
 Fax: +41 (0) 21 651 60 51

www.primelco.ch
shop.primelco.ch
visual@primelco.ch